

Groupe Vétérinaire MONVET Inc.




# THE ROLE OF TEETH

Like humans, dogs have 4 kinds of teeth, each with a unique function: incisors, canines, premolars and molars.

**Upper jaw** 

Also, dogs too have baby teeth and adult teeth.




Often, adult teeth come out later than expected. Sometimes, some baby teeth do not even fall out. The dog then has both types of teeth at the same time. Consequently, tartar builds up more easily between the teeth because the space there is minimal.

In general, all baby teeth have fallen before the dog reaches 9 months of age. If there are still baby teeth in place after this age, they must be removed.



# **TEETH ANATOMY**



Anatomy of a tooth with several roots

The incisors and canines have only one root while the premolars and molars have two or three roots.



Single root teeth



Two roots tooth



Three roots tooth

# **DENTAL DISEASES**

#### **Inflammatory gingivitis and parodontitis:**

These two terms refer to gum inflammation. With periodontitis, inflammation reaches deep dental tissues and destroys of the ties that bind the tooth to the bone.



#### **Tooth abscess:**

- "pouch" filled with pus created by infection of tissues around the tooth;
- plaque buildup destroys tissue and allows bacteria to multiply;
- painful lesion sometimes accompanied by swelling of the face;
- the swollen skin can tear and let out pus;
- the tissues behind the eyes may swell too and make them bulge.






#### **Dental fracture:**

- the fracture may involve the crown and/or the root;
- it may involve only hard tissue (enamel and dentin) or expose the pulp also;
- an exposed pulp caused by a fracture creates an entryway allowing bacteria in the mouth to infect dental tissues. An abcess can then form.
- if the fracture is less than 2 days old, a veterinary dentist can try to save the tooth by doing a root canal. Otherwise, the tooth must be removed and the hole closed to prevent bacteria and food from entering.


# STAGES OF PERIODONTAL DISEASE



#### **STAGE 0 | Normal teeth**

- Pink and thin gums
- No visible tartar






#### STAGE 1 | Gingivitis only

- Red and lightly swollen gums
- Tartar visible on the teeth
- Bad breath possible






#### **STAGE 2 | Early Periodontitis**

- Bad breath more pronounced
- Greater amount of tartar on the teeth
- Gums are a deeper red and more swollen
- Gums are beginning to detach from the teeth






#### **STAGE 3 | Moderate periodontitis**

- Intense bad breath
- Great amount of tartar on the teeth
- Stained or discolored teeth
- Very red and swollen gums
- Dental roots begin to be visible
- Difficulty chewing because of pain





#### **STAGE 4 | Advanced Periodontitis**

• Lesions identical to stage 3 but even more severe. Teeth move and there is a lot of pain.





# **Dental care**

Several means and products are at our disposal to take care of the mouth and teeth of our animals:

- Teeth brushings
- Dental foods
- Dental treats
- Ancillary products
- Regular teeth cleanings

The best way to keep your pet's mouth and teeth healthy for as long as possible is to combine these means.



#### Which toothpaste should you use?

One that is specially designed for animals and that has an enzymatic action that helps soften small tartar particles.

Toothpastes for humans should be avoided because they contain detergents that are irritating to the stomach. Dogs can become sick when swallowing them.

#### Brushing animals' teeth? Easier said than done!

Most dogs resist having their teeth brushed if they are not used to it. To succeed in getting their full cooperation, we have to get them used to the procedure, ideally when they are young.

Better late than never though! It is feasible to brush the teeth of adult dogs, but it must be done gradually.

# **Tooth brushing**

Brushing removes plaque (white pasty layer) that forms on the teeth BEFORE it mineralizes and becomes tartar (yellowish hard substance). Once there is tartar, brushing does not remove it.

As this transformation occurs in 36 hours, it is important to brush the teeth every day.

Do not forget the teeth at the back of your animal's mouth!

# How do you get your pet used to having his teeth brushed?

You need to take it one step at a time and make sure that he has fully accepted each one before getting to the next. To achieve that goal, reward him with treats, hugs and kind words each time. You will know that he appreciates the exercise when he lets you do it without resisting. You need to practice often, at least a few times a day, in a quiet place, far away from distractions.

# Here are the steps to follow



• Gently handle your dog's nose and his lips with your fingers.



 Put a little bit of toothpaste on your fingertip and spread it on his teeth and his gums.



 Repeat step 2, but with a toothbrush this time. At the beginning, put just light pressure on the teeth and then, gradually increase it. Increase also the amount of time you spend on each tooth.

# **Ancillary products**

Ancillary products include:

- Water additives
- Dental gels
- Enzymatic products
- Chewing strips
- Flakes to be sprinkled on food

Water additives and dental gels are antibacterial products. Their main effect is to improve the smell of animals' breath by decreasing the amount of bacteria in their mouths.

Enzymatic products soften tartar, chewing strips remove plaque particles by rubbing the teeth, and flakes sprinkled on food reduce plaque and tartar buildup, thanks to the purified *Ascophyllum nodosum* seaweed extract they contain.

# **Dental foods**

More and more, people realize that taking care of their dog's teeth is as important as taking care of their own teeth. Consequently, pet food manufacturers are now producing foods that are supposedly effective for cleaning teeth.

# How can you know if a food is really effective at cleaning pets' teeth?

Look for the VOHC seal! The Veterinary Oral Health Council (VOHC) is an independent organization that tests foods that claim to clean teeth. When their tests show that the analyzed food reduces gingivitis and/or plaque and/or tartar buildup by at least 20%, the VOHC affixes its seal to the bag.

However, even dental foods have limitations. For example, they do not clean the canine teeth and the incisors because those teeth do not chew food.

Here are the 3 dental foods that we recommend:

- Hill's® Prescription Diet® t/d®
- Royal Canin® Veterinary Exclusive® Dental®
- Purina® Proplan Veterinary Diet® DH Dental Health®

#### How does it work?

Like a toothbrush! The kibbles' special texture makes them stay in contact with the teeth surface during chewing. The rubbing effect gently dislodges plaque and tartar. Also, because dental kibbles are bigger than ordinary kibbles, they cover the teeth all the way to the gumline.

All those foods are available in "regular size bites" for big dogs and in "small bites size" for small dogs. Even if the kibbles' size is impressive, do not be afraid to feed them to your pet. Small dogs are just as able to eat them as big dogs. Do not cut or wet the kibbles to make them smaller of softer. To do so would cancel their deaning effect.

Did you know that the amount of time that the kibbles stay in contact with the teeth also is important for them to be cleaned adequately?

If the animal's food ration is divided between a dental diet and a regular diet, or if he gets the dental kibbles only as a treat, the food will be less effective because it is going to be in contact with the teeth only for short periods of time. For the food to be as effective as possible, the dog must eat only that.





Small bites for small Regular size bites for dogs medium to large dogs



Veterinary Oral Health Council seal (VOHC)





Most dogs love dental foods the first time they eat them. However, some dogs do not want to try them for several weeks. In that case, you have to be patient and introduce the food gradually.

#### Here's how to proceed:

- Put a few kibbles on a plate next to your animal's bowl of usual food.
- At the end of the day, throw away the remaining kibbles because they will have become rancid during the day and will be less appetizing.
- Continue to add new kibbles, but replace them every day. Eventually, your pet's curiosity will make him want to taste them.
- Do not forget to wash or change the plate also every day.

# Did you know that wet food does not cause more plaque and tartar buildup than dry foods?

Plaque accumulation does not depend at all on the amount of water in the food. Plaque forms rather following a reaction between:

- the animal's saliva;
- the bacteria in his mouth:
- the constituents of food.

Ordinary kibbles help dislodge pieces of food stuck between the teeth, but they do not remove plaque, the real cause of dental disease. Therefore, eating ordinary dry food is not enough to keep dogs' mouths and teeth healthy.





#### **Treats**

As with food, many treats bear the VOHC seal and are effective in reducing plaque and tartar buildup. However, they should be offered only in small quantities to supplement the basic diet of pets. They should not be solely relied upon to clean their mouths and teeth. Instead, they should be made a part of a complete dental health program.



## **TEETH CLEANING**

#### **Teeth cleaning**

Like humans, dogs need to go to the "dentist" regularly to get their teeth cleaned and their mouths examined.

This procedure is important for many reasons:

- It can be difficult to clean all the teeth adequately, specially those at the back of the mouth.
- Dental care done at home does not completely remove plaque and tartar underneath the gumline. As a result, bacteria trapped there multiply, and cause infection and periodontal disease\*.
- Bacteria enter the animal's bloodstream and spread throughout his body.
- In humans, it is proven that bad dental health shortens life expectancy. Also, people affected are at increased risk of aborting, and getting heart and kidney diseases. It is the same with animals.

\*Small dog breeds often have periodontal disease at a very young age and lose their teeth prematurely.

To prevent permanent damages, it is important to have the dog's teeth cleaned before periodontal disease appears. This prevents the animal from feeling pain, from losing his teeth and from becoming weak because of pain and infection, all of which increase the risk of anesthetic complications. Naturally, it is necessary to continue to take care of the teeth at home after the teeth cleaning, otherwise tartar will build up again very quickly.

To prevent permanent damages, it is important for the teeth to be scaled before periodontal disease appears. This prevents the animal from feeling pain, from losing his teeth and from becoming weak because of pain and infection, which increases the risk of anesthetic complications.





#### **Anesthetic safety**

Many options are available to us to make the anesthesia as safe as possible for the pet during his teeth cleaning. Indeed, we can:

- do a physical exam before anesthetizing him. To detect physical signs of disease.
- do a blood test. To verify that his organs are able to eliminate the anesthetic drugs from his system.
   This test also sometimes reveals diseases that are "invisible" from the exterior and that can increase the risk of the anesthesia.
- give IV fluids. To help keep his blood pressure normal and to remove the drugs from is bloodstream faster.

If abnormalities are found on the blood test and/or physical exam, we might want to postpone the procedure to after having identified and corrected the cause. Some additional tests might be recommended also.

## **TEETH CLEANING**

# **Teeth cleaning steps**



#### **STEP 1 | Ultrasonic teeth cleaning**

Under the supervision of a veterinarian, an animal health technician removes tartar and plaque between the teeth, and above and below the gumline.



#### STEP 2 | Polishing

Polishing is a crucial step in teeth cleaning. It smooths out the grooves that the instruments created on the teeth. If polishing is not done, plaque will attach more easily to the teeth afterwards.



#### **STEP 3 | Dental X-rays**

X-rays are essential for evaluating the part of the teeth and dental tissues located underneath the gumline. X-rays can identify, for instance:

- dental abscesses;
- · infection in the jawbone;
- teeth trapped under the gumline;
- dental roots damaged or merged with the bone.



#### **STEP 4 | Dental exam**

The veterinarian examines the animal's mouth and teeth, and interprets dental X-rays to determine if extractions are necessary or not.



#### **STEP 5 | Extractions**

The veterinarian may need to extract teeth for various reasons. Once the teeth are removed, the holes in the gum must be closed with stitches to prevent food and bacteria from entering them. Otherwise, infection can develop locally and then spread throughout the animal's body.

# **TEETH CLEANING**

#### After the teeth scaling

Anyone who has ever had cavities or gingivitis knows that these conditions can be painful. It's the same thing for dogs. Even if they do not have the ability to speak to tell us that they are in pain, they often show it to us in other ways: they can sleep more, eat less, be grumpier, and so on. Unfortunately, sometimes these signs go unnoticed or are attributed to causes other than pain. As a result, the animal endures it for months or even years.

People are often reluctant to have their dog's teeth cleaned. Either because they fear anesthesia or because they are not convinced that their animal really hurts. It is often when they notice his energy boost and apparent "rejuvenation", even after many teeth have been removed, that people understand that they have done the right thing.




© MONVET VETERINARY GROUP INC. 514-MON-VET1 WWW.MONVET.COM

# **HEALTH BOOKLET**

	s name:	(ka):		#	
Date:	Patient's name:	Weiaht (ka):	File #:	Patient #:	

ents:	
omme	
Ŭ	



A Absent
E Extracted
Fractured
G Gingivitis
M Mobile
P Tooth pocket
R Resorption

# **HEALTH BOOKLET**

If we have extracted teeth from your dog's mouth, please feed him only canned food for 2 weeks. Before giving him dry food and treats, and before starting dental care at home, have his mouth checked by his veterinarian. Suture lines will melt over time: they do not need to be removed.

Ca	Care after a teeth cleaning:			
0	Metacam® (anti-inflammatory):every 24 hours for days.			
	Gabapentin (painkiller): times per day for days.			
	<b>Tramadol</b> (painkiller):times per day for days.			
0	Prednisone (anti-inflammatory): times per day for days and times per day for days and times per day for days.			
	Doxycycline (antibiotic): times per day for days.			
	Clinacin® (antibiotic): times per day for days.			
	Metronidazole (antibiotic): times per day for			
0	Food: type, can(s)/day for days.			

Oral hygiene:
<b>Teeth brushing:</b> Virbac Dentifrice C.E.T. ™ ○ Dechra Vetradent ™ ○
<b>Wipes:</b> Dechra Dentacetic ™ ○ Dechra Vetradent ™ ○
Ancillary products:  ProConcept DentaChlor ™ ○ Max-Guard Gel ™ ○
Dechra Vetradent ™ ○ Dechra Dentacetic ™ ○
<b>Treats:</b> Virbac Lamelles C.E.T.™○ C.E.T.® VeggieDent®○
Virbac Clenz-a-dent® ○
Dental food:  T/D Hill's MD ○ Dentaire RC MD ○ DH PVD MD ○
Food recommendations:
Name of the diet:
Number of cups per day:
Other comments:

#### **Recommendations:**

Please make an appointment with one of our veterinarians in \_\_\_\_\_ days to make sure that your animal's dental wounds have healed completely.

We also recommend that you come back in \_\_\_\_ months to have his mouth and teeth checked.

# **HEALTH BOOKLET**





Medecine | Hospitalization | Standard or laser surgery
Dentistry | Digital Radiology | Ultrasound | On Site Laboratory
Physiotherapy | Osteopathy | Acupuncture | Nutrition | Boarding

Certain services are not available for all animal species nor in all our locations.

Working together for animal health and wellbeing.



Montreal (Anjou)



Montreal (Rivière-des-Prairies)



Boucherville



Montreal (Pointe-aux-Trembles)



Beloeil



Montreal (Saint-Michel)



Ste-Julie



Longueuil



Saint-Amable

WWW.MONVET.COM